

UNIVERSITY
OF
CALIFORNIA

First
For UC

Now through December 31st, 2019*

Exclusive Greener Lab Equipment Promotion

The More Energy You Save The More Money You Save

Using the Thermo Scientific™ Green Portfolio of Laboratory Equipment helps save on energy expenses.

For each purchase from the Thermo Fisher Scientific Green portfolio (Page 2), receive a free item (Page 3) valued up to \$1000.

Please check with your campus sustainability office to see if utilities and campus rebates are available

Greener Lab Equipment Includes:

- Cold Storage (+5 to -86)
- Biological Safety Cabinets
- Centrifuges
- Refrigerated Incubators



Contact your Fisher Scientific representative today!

Thermo Scientific™ TSX Series Freezer (-50C to -86C)

Model No.	Description
TSX40086A	-86°C TSX400 ultra-low freezer, 400 box capacity, 19.4 cu. ft., 115V
TSX40086D	-86°C TSX400 ultra-low freezer, 400 box capacity, 19.4 cu. ft., 208-230V
TSX50086A	-86°C TSX600 ultra-low freezer, 500 box capacity, 24.1 cu. ft., 115V
TSX50086D	-86°C TSX600 ultra-low freezer, 500 box capacity, 24.1 cu. ft., 208-230V
TSX60086A	-86°C TSX600 ultra-low freezer, 600 box capacity, 28.8 cu. ft., 115V
TSX60086D	-86°C TSX600 ultra-low freezer, 600 box capacity, 28.8 cu. ft., 208-230V
TSX70086A	-86°C TSX700 ultra-low freezer, 700 box capacity, 33.3 cu. ft., 115V
TSX70086D	-86°C TSX700 ultra-low freezer, 700 box capacity, 33.3 cu. ft., 208-230V

Thermo Scientific™ Standard Performance (STP) Series Freezer (-50C to -86C)

Model No.	Description
TDE50086FA	-86°C STP ultra-low freezer, 500 box capacity, 24.1 cu. ft., 115V
TDE50086FD	-86°C STP ultra-low freezer, 500 box capacity, 28.8 cu. ft., 208-230V
TDE60086FA	-86°C STP ultra-low freezer, 600 box capacity, 28.8 cu. ft., 115V
TDE60086FD	-86°C STP ultra-low freezer, 600 box capacity, 28.8 cu., 208-230V
RDE50086FA	-86°C STP ultra-low freezer, 500 box capacity, 28.8 cu. ft., 115V
RDE50086FD	-86°C STP ultra-low freezer, 600 box capacity, 28.8 cu., 208-230V
RDE60086FA	-86°C STP ultra-low freezer, 600 box capacity, 28.8 cu., 208-230V
RDE60086FD	-86°C STP ultra-low freezer, 600 box capacity, 28.8 cu., 208-230V

Thermo Scientific™ TSX Series Freezer (-15 to -35)

Model No.	Description
TSX2330FA	-30°C Thermo TSX automatic defrost lab freezer. 23 cu. ft., 120V/60Hz
TSX2320FA	-20°C Thermo TSX manual defrost lab freezer. 23 cu. ft., 120V/60Hz
TSX2320EA	-20°C Thermo TSX Enzyme lab freezer. 23 cu. ft., 120V/60Hz
TSX5030FA	-30°C Thermo TSX automatic defrost lab freezer. 51.1 cu. ft., 120V/60Hz

Class II, Type A2 Biological Safety Cabinet Packages

All Packages Include: 1300 BSC, Manual adjustable stand, factory installed UV light, one set of arm rests

Model No.	Description
1342	BSC 1300 Series A2 3 ft with 8" aperature
1335	BSC 1300 Series A2 4 ft with 8" aperature
1353	BSC 1300 Series A2 5 ft with 8" aperature
1337	BSC 1300 Series A2 6 ft with 8" aperature
1323	BSC 1300 Series A2 3 ft with 10" aperature
1375	BSC 1300 Series A2 4 ft with 10" aperature
1371	BSC 1300 Series A2 5 ft with 10" aperature
1377	BSC 1300 Series A2 6 ft with 10" aperature



Thermo Scientific™ TSX Refrigerators

Model No.	Description
TSX2305GA	5°C Thermo TSX lab refrigerator, glass door. 23 cu. ft., 120V/60Hz
TSX2305SA	5°C Thermo TSX lab refrigerator, solid door. 23 cu. ft., 120V/60Hz
TSX4505GA	5°C Thermo TSX lab refrigerator, sliding glass door. 45 cu. ft., 120V/60Hz
TSX5005GA	5°C Thermo TSX lab refrigerator, glass door. 51.1 cu. ft., 120V/60Hz
TSX5005SA	5°C Thermo TSX lab refrigerator, solid door. 51.1 cu. ft., 120V/60Hz

Thermo Scientific™ TSG Refrigerators*

Model No.	Description
TSG12RPGA	5°C Thermo TSG lab refrigerator, glass door. 12 cu. ft., 115V/60Hz
TSG25RPGA	5°C Thermo TSG lab refrigerator, glass door. 25 cu. ft., 115V/60Hz
TSG25RPSA	5°C Thermo TSG lab refrigerator, solid door. 25 cu. ft., 115V/60Hz
TSG30RPGA	5°C Thermo TSG lab refrigerator, glass door. 30 cu. ft., 115V/60Hz
TSG30RPSA	5°C Thermo TSG lab refrigerator, solid door. 30 cu. ft., 115V/60Hz
TSG45RPLA	5°C Thermo TSG lab refrigerator, sliding glass door. 45 cu. ft., 115V/60Hz
TSG49RPGA	5°C Thermo TSG lab refrigerator, glass door. 49 cu. ft., 115V/60Hz
TSG49RPSA	5°C Thermo TSG lab refrigerator, solid door. 49 cu. ft., 115V/60Hz
TSG72RPGA	5°C Thermo TSG lab refrigerator, glass door. 72 cu. ft., 115V/60Hz

*Gray/Stainless Steel configuration available

Thermo Scientific™ TSX Under Counter Refrigerators

Model No.	Description
TSX505GA	5°C Thermo TSX lab refrigerator, glass door. 5.5 cu. ft., 120V/60Hz
TSX505SA	5°C Thermo TSX lab refrigerator, solid door. 5.5 cu. ft., 120V/60Hz

Thermo Scientific™ TSG Under Counter Refrigerator

Model No.	Description
TSG505GA	5°C Thermo TSG lab refrigerator, glass door. 5.5 cu. ft., 120V/60Hz
TSG505SA	5°C Thermo TSG lab refrigerator, solid door. 5.5 cu. ft., 120V/60Hz
TSG205SA	5°C Thermo TSG lab refrigerator, solid door. 1.8 cu. ft., 120V/60Hz

Thermo Scientific™ Heratherm™ Peltier™ Refrigerated Incubators

Model No.	Description
51031562	Refrigerated Incubator IMP180, 6.3 cu ft
51031565	Refrigerated Incubator IMP400, 13.5 cu ft



With each purchase of a ULT freezer, you will receive a Freezer Cleanup Kit for annual maintenance - shipped separate from your order.

Performing annual de-icing of your freezer is estimated to reduce energy consumption by 4%. Kit includes cold grip gloves, scraper and bag. Please contact your Fisher Representative for free kit.

Freezer Cleanup Kit

Description

Remco polypropylene scraper
Honeywell NorthFlex cold grip gloves size large
Fisher Tote Bag



Ask your Fisher Scientific sales representative about additional freezer options and accessories.

Please contact your Fisher Scientific sales representative to learn more and to get your free kit.

Eligible Promotional Laboratory Equipment at no additional charge

Model No.	Description
88881001	Tube Revolver/Rotator, US plug, 10–40 rpm, AC 100–240V, 50/60Hz
88880017	LP Vortex Mixer, AC 100–240V, 50/60 Hz
88881003	Mini Roller, US plug, 0.5–80 rpm, AC 100–240V, 50/60Hz
88880019	Compact Digital Rocker, rocking motion, AC 100–240V, 50/60Hz
SP88854100	Cimarec+ 4 x 4 Hot Plate Stirrer, AC 100–120V
SP88857100	Cimarec+ 7 x 7 Hot Plate Stirrer, AC 100–120V
SP88850100	Cimarec+ 10 x 10 Hot Plate Stirrer, AC 100–120V
88870001	Digital Dry Bath/Block Heater, 1 block, AC 100–120V
88870002	Digital Dry Bath/Block Heater, 2 block, AC 100–120V
75004061	mySpin6
TSGP02	Precision General Purpose Water Bath 2L
50125590	"Thermo Scientific Heratherm Compact Microbiological Incubator 18L (.65 cu. ft.)"
02LREETS	Thermo Scientific Value Lab Ref
02LFEETS	Thermo Scientific Value Lab Freezer
88880002	Hotplates RT2Basic120V 60Hz
88880004	Hotplates Stirrer RT2Basic120V 60Hz
88880006	Hotplates Stirrer RT2 PlusAdvanced Model 120V 60Hz
88880012	RT Basic Series Magnetic Stirrer 8.66 in.
1910179	Hanging shelf for base stand (for BSC)
191127	Adjustable footrest (for BSC)
ERG-CR-2330	Thermo Scientific Ergolign Saddle Stool, 23 inch to 30.5 inch adjustable seat height
***	Up to 1 shelf of racks ***Please inquire with your Fisher Scientific representative



*This promotion is open only to University of California customers who purchase one of the qualifying products in a single purchase order. Free kit is shipped separately from your order. Allow 2 to 3 weeks for delivery of free kit. Valid for orders received between March 1, 2019 and December 31, 2019. Cannot be combined with other discounts or promotion. Offer void where prohibited, licensed or restricted by federal, state, provincial, or local laws or regulation or agency/institutional policy. Other restrictions may apply. U.S. customers acknowledge that this offer may include a discount or other price reduction that must be properly and accurately accounted for and reported by customer in accordance with all federal and state laws, including without limitation the federal antikickback law (42 C.F.R. § 1320a-7b(3)(A)) and regulations thereunder (42 C.F.R. §1001.952(h)).